



INDEX MAPS.

M

T.1N R.8W 2nd Mer.



T.2N R.8W 2nd Mer.



The figures on the lines refer to the page.

Township No 2 South of Range No 8 West of the 2nd Mer. Ind. a.
Ch. 16.

South Boundary

West On the South Boundary of Sec. 36. T. 2 N. R. 8 W.
350 To the East Bank of M^r River.
458 Corn on Indiana To the East Branch of M^r River.
13.25 To the opposite Bank of M^r River. House Sec. 36.
80.00 Set apart for the cor. of Sec. 35 & 36 from which
Nicks 14 in. air: trees. N 15 E. 29 links each; & a
Strut Line 20 " " S 28 E. 24 " "
Superior bottom timber Nicks, B Walnut, Honey
Locust Sugar. Buck. 15.

West On the South Boundary of Sec. 35. T. 2 N. R. 8 W.
80.00 Set apart for the cor. of Sec. 34 & 35 from which
Line. 7 in. air: trees S 27 N. 48 links each; & a
Do. 8 " " S 44 E. 70 " "
Over hilly 2nd rate land; upland; cold clayey soil
covered with Blackberry briars. Thicket timbered with
A & B Oaks.

West On the South Boundary of Sec. 34. T. 2 N. R. 8 W.
80.00 To a Buck. 11 in. air: stands 3 miles from I^r. Cor. for the
cor. of Sec. 34 & 33.
Sandy hilly; and thickly timbered with Oak.
Sandy poor Briery 2nd rate. Some small Buck.

West On the South Boundary of Sec. 33. T. 2 N. R. 8 W.
75.70 Corn hilly land To a Buck. 20 in. air: in the line.
Thick Buck & Oak.
80.00 Set apart for the cor. of Sec. 32 & 33 from which
Buck. 20 in. air: trees S 39 W. 13 links each; & a
Do. 13 " " S 71 E. 4 " "
Land some thickly timbered with Oak. R & B.

West On the South Boundary of Sec. 32. T. 2 N. R. 8 W.

Sum Paper (Pawpaw.)

North	On the East Boundary of sec. 24. T. 2. N. R. 8 W.
7.50	Leave the River and set apart on the Left Bank from which, Elm. 12 in. diam. trees. N 72 W. 9 trees each: 7 a, Do. 9 " " " S 76 E. 33, "
40.00	Set apart for the cor of 1/4 section which a, Sugar. 11 in diam trees. S 6 W. 10 trees each: 7 a, Buck. 14 " " " N 13 W. 22, "
69.42	To a Butte out 30 in diam on the line.
80.00	Set apart for the cor of sec. 13 & 24 from which, Hickory 20 in diam trees. N. 2 E. 23 trees each: 7 a, Buck. 24 " " " S 44 W. 50 " "
	Gravel flat ridge and good soil. 2nd. oak; well watered with Springs. Timber 13 W. about Buck & Sugar. Nov. 8.

North	On the East Boundary of sec. 13. T. 2. N. R. 8 W.
8.10	To a Buck. 24 in diam on the line.
24.50	To the River and set apart from which, Soft Maple 8 in diam trees. S 50 E. 8 trees each: 7 a, Do. 24 " " " S 54 W. 19, "
	River 12 ch. 50 the side, leaves N 8 W.
47.47.	To the River again. corner S 45 E.
60.00	To the opposite Bank and set apart for the cor of sec 13 from which, Soft Maple. 18 in diam trees. S 50 E. 16 trees each under Do. 18 " " " N 86 W. 20 " "
78.90	To the River and set apart. Cor falls 110 lbs on the River. Good water. Timber Buck.

North	On the East Boundary of sec. 12. T. 2. N. R. 8 W.
5.00	To the River Bank from the post on the River.
10.00	To a Hoop Ash. 10 in diam on the line.
26.50	To the River corner. S 15 E.
38.85	Set apart on the opposite Bank of River for the cor of sec 12.

C. N. D. N.R. N. 87W. 2 mi. S. Ind.

40.00	From offset of S. Maple 12 in air. Heads for the coroff lat 12. Set a post support from which Elev. 8 in air. bears N44 E. 7 links arch; 7 a Do. 12 " " " S15 N. 24 " "
43.15	To an Elev. 14 in air in the line.
54.80	To a sign 8 in air " " "
80.00	Set a post for the coroff lat. 12 from which 17 Oct 11 in air. bears. S47 N. 15 links arch; 7 a Sign 12 " " " S49 E 30 " " Grade R. rate bottom land. Timber same.
North	Out of East Boundary of la. 1. S. D. N.R. 87W
10.58	To a Mulberry 26 in air in the line.
40.00	A mulberry 8 in air. Heads for the coroff la.
40.70	To the Bank of M. River. Corner N. and set a post for the cor off lat. 1. from which Elev. 8 in air. bears. N49 E. 30 links arch; 7 a Do. 20 " " " S36 N. 8 " "
47.50	To the Opposite Bank
58.86	To M. River again. Corner S78 E 17 links arch.
80.50	Set a post for the coroff lat. 2+3. N.R. 718 N. from which Hoop Ash. 12 in air. bears. N12 E. 35 links arch; 7 a Do 8 " " " S37 N. 43 " " Grade R. rate Timber as above.

N Boundary.	
West	Out of South Boundary of la. 36. S. 3 N.R. 87W
6.75	Set a post on the Left Bank of M. River from which Hickory 12 in air. bears. S23 E. 27 links arch; 7 a Hoop Ash. 24 " " " N7 E. 40 " "
14.00	To the opposite or Right Bank of River. Corner S20 E.
80.00	Set a post for the coroff lat. 35+36 from which Hoop Ash. 8 in air. bears. N78 E. 30 links arch; 7 a Do. 7 " " " S44 N. 20 " "

Land 1st rate: Timber some select timber.

West On the South Boundary of sec. 35 T. 3. N. R. 8 W.
80.00 Set a post for the corner 34 & 35; corner on a Neighb.
8 in diam. two miles from Iron corner.
Land flat and cold. Timber Oak Neighb. & Pine
Land 2nd rate;

West On the South Boundary of sec. 34 T. 3. N. R. 8 W.
80.00 Set a post for the corner 34 & 35 in a prairie.
No timber. Land Dry land & prairie. Timber
with Oak. 2nd rate.
The above post falls in the center of a prairie 40 ch. in dia.
The remainder of the Iron line falls in the Donation Tract.

West Boundary.

North On the East Boundary of sec. 36 T. 2. N. R. 9 W.
2.70 To a Poplar 30 in diam. in the line
37.00 " " Oak 30 " " " " "
80.00 Set a post for the corner 35 & 36. From which
Cedar 12 in diam. bears N 47 E. 19 links north; & 2
Poplar 14 " " S 45 E. 40 " "
Land 1st & 2nd rate. Buck horn land.

North On the East Boundary of sec. 25 T. 2. N. R. 9 W.
9.10 To a Poplar 14 in diam. in the line.
18.00 To a Iron Spring
31.00 To a Rock 30 links in dia. corner S. 31. 35. 45, 50.
55. 57 & 60.
68.00 To an Excellent Spring.
80.00 Make a corner on a Forked Poplar 36 in diam.
Land Buck horn. Rich soil. Timber mostly Buck,

North On the East Boundary of sec. 24 T. 2. N. R. 9 W.

T. No 2 N.R. No 8 W. Ind. (Mm. Inds)

69.50 To a Ride Oak 18 in diam in the line.
 85.00 Set apart for the cor of sec. 13 & 24 from which
 Ride Oak, 24 in diam. bears N 23 W. 20 links north & 7
 Hoop 12 " " " S 65 E. 37 " "
 Land open barrens A few scattering Oak & Hickory

North Out to East Boundary of sec. 13 T. 2 N. R. 9 W.
 3.80 To a Oak 30 in diam in the line
 18.65 " " " " " " " "
 80.00 Set apart for the cor of sec. 12 & 23 from which
 77 Oak, 20 in diam. bears S 62 E. 57 links north & 7
 Ho. 18 " " " " S 49 W. 41 " "
 Land high prairie long grass little or no timber
 A few Oaks.

Surveyed by
 E. W. Lippin. & J. S.
 Augustus Brown

Subdivisions

North Return Sec 35 & 36 T. 2 N. R. 8 W.
 36.00 To a Oak 24 in diam in the line.
 40.00 Set apart for the cor of sec. 25, 26, 35 & 36 from which
 Cottonwood 18 in diam. bears N 78 E. 19 links north & 7
 Hoop 24 " " " " S 56 W. 22 " "
 54.81 To a Pond Creek 100' across E.
 62.00 To Brook, 50 links wide, corner of.
 80.00 Set apart for the cor of sec. 25, 26, 35 & 36 from which
 Elm 30 in diam. bears S 25 E. 6 links north & 7
 Hoop oak, 18 " " " " N 31 E. 26 " "
 Land low brushy

East On a Roman line between Sec 25 & 36 T. 2 N. R. 8 W.
 25.0 To the bend of Stream 50 links wide, corner of N.
 15.0 " " " " " " " " " "

425

J. N. D. N. R. N. 877 Quad (Mn. Ind.)

40.00 Set a trap 7 1/2 in post
 63.00 To the Right Bank of White River and set apart for the
 cross sec. 25 T36 from which,
 Water Bench 10 in diam. base. N 62 W. 27 miles out; 7 1/2
 Sugar. 6 " " " S 28 E. 12 " "
 Sand good bottom.

West. On the line between Sec. 25 T36. J. N. D. N. R. 877.
 40.00 Set the 7 1/2 in post from which,
 Box Elm. 10 in diam. base. S 85 E. 26 miles out; 7 1/2
 Hoop Oak. 9 " " " S 75 W. 22 " "
 at 40.00 from the cross sec. 25 T36. 35 T36.
 63.00 To the post cross sec. 25, 26, 35, T36.
 West Return Sec. 25 T36.
 5.00 To the River.
 17.00 To the Opposite Bank.

North Return Sec. 25 & 26. J. N. D. N. R. 877.
 2.00 To a Creek 40 miles out, corner J.
 37.50 To a Pond.
 40.00 Set a 7 1/2 in post, in pond.
 Began at the 7 1/2 mile post on line between Sec. 25 T36.
 Things North 45.00 corner West. 40.00 ch. to the line between
 Sec. 25 T36. & Pond. corner
 North Return Sec. 25 T36, at
 20.50 or 65.50 Pond. This pond is 5 ch. out, at.
 76.50 Appd.
 80.00 cross sec. 23, 24, 25 T36. in the pond.

West Return Sec. 24 & 25. J. N. D. N. R. 877.
 25.00 To the River Bank.
 40.00 Set a 7 1/2 in post from which,
 Elm. 18 in diam. base. S 26 E. 14 miles out; 7 1/2
 Q. 18 " " " N 57 E 10 " "

T. N. 2. N. R. N. 877. 2nd (M. S. S. S.)

56.00 To ash of pond.
80.00 Crossed 23, 24, 25 & 26 in Long Pond.
Sandy bottom.

South Bottom Sat 23 & 24. T. 2. N. R. 877
10.78 To an ash. 20 in air in the line.
40.00 Got a spot from which an
Elev. 12 in air. base. S 19 N. 9 links dist; & a
Koop Ash. 12, " " " " S 11 E. 12 " " "
47.50 To an Elev. 30 in air in the line.
77.50 To Long Pond Over the creek bottom. To an Koop Ash.
80.00 Crossed 23, 24, 25 & 26
Beginning 5.00 the North of the cor. to Sat 23, 24, 25 & 26
thence East. 24, or the shore south 5.00 to the pond & S
the line between Sat. 24 & 25, thence on the line 1600 to the 7th
mile post.

Sandy good bottom; To an Koop Ash.

West Bottom Sat 13 & 24 T. 2. N. R. 877.
7.00 To White River Left Bank.
16.40 Got a spot on the Right Bank of River for the cross line.
13 & 24 from which
Back. or the gun. 24 in air base. S 24 E. 15 links dist
16. " " " " S 57 N. 30 " " "
40.00 Got a spot from which an
Elev. 30 in air. base. S 40 E. 28 links dist; & a
W. N. 22 " " " " S 17 N. 22 " " "
44.00 To a Bayou, 100 links in air, Come S.
46.79 To an Elev. 36 in air in the line.
60.00 " " Henry Street. 38 in air in the line.
75.50 To a Bayou. 150 links in air, Come N. W.
80.00 Got a spot for the cross line 13, 14, 23 & 24 from which
Back 18 in air base. S 13 N. 16 links dist

J. N. 2. N. R. N. 8 W. 2nd Mm. Ind.

East	Return Sat. A. 1 st D. J. 2. N. R. 8 W.
1.50	Over pond.
21.00	To a Bayou. 30 bucks mid, Corner J.
25.00	" " Hoop Ash 20 in. diam. in the tree.
33.00	Set a post on the Right Bank of W. River on the low bot. from at low water. For the cross pole 1 st D. from which 13 Walnuts 18 in diam. trees. At 14 N. 43 bucks diam. 1 st D. Hoop Ash 20 " " " 18 D. 20 " " Sand & S. Jar above
West	Return Sat. 1 st D. J. 2. N. R. 8 W.
5.90	To a Cottonwood 24 in diam. in the tree.
26.00	To a Soft Maple. — in diam. cor of Sat. 1 st D. on the Left Bank of W. River. Under R. ratio; Timber 13 Walnuts Oak & Sugar, Nov. 9. 1809

North	Return Sat. 1 st D. J. 2. N. R. 8 W.
	Beginning 200 ch West of the post cor of Sat. 1. 2 N. 11 D. thence North 9.00 ch. thence East 2 ch. to the tree line between Sat. A. 1 st D.
9.00	In the line between Sat. 1 st D. Left Pond.
15.20	To a Hickory 10 in diam. in the tree.
27.70	To a Honey Locust. 24 in diam. in the tree.
40.00	Set a post & support from which Honey Locust 24 in diam. trees. N 67 E. 49 bucks diam; S a H a 20 " " " 13 N 10 " " 58.00 To a Pando 7.00 ch. mid, Corner N. E. & S. W. (1 st D. East of the post)
76.00	Intersect the N. Boundary 121 bucks East of the post cor of Sat. 35 & 36. O. 3. N. R. 8 W. made set a post for the cor. of Sat. 1 st D. from which Hoop Ash 15 in diam. trees. At 44 N. 30 bucks diam; 10 H. 16 " " " N 67 E. 6 " " Sand & S. bottom; Timber Hickory & Hoop Ash.

J. N. 2. M.R. N. 8 N. 2nd Mer. Ind.

Height 12 in air: trees. N 65 E. 8 links each; Fz
 Sum. 9 " " " N 75 W. 27 " "
 60.00 To y Ponde Rock side,
 80.00 Set a post for the cross for 22, 23, 26 & 27 from which,
 N Oak. 24 in air: trees. N 59 E. 144 links each; Fz
 Oak. 14 " " " S 87 W. 109 " "
 Grande rrb; Limbu Gum & Maple.

East Return Sat 26. 23. J. 2 N.R. 8 W.
 40.00 A Hoop Ash. 10 in air: stands for the cross for 24.
 46.50 To a Pond 50 links E & W.
 P. 75 To Long pond. own good land. Limbu Hoop
 Oak Oak &

North Return Sat 22 & 23. J. 2 N.R. 8 W.
 1.00 To a Swamp. or pond 20 chs side,
 24.36 To a Oak. 24 in air: in the line.
 40.00 Set a post in prairie from which,
 N Oak. 20 in air: trees. N 60 E. 200 links each;
 44.86 To a N Oak. 24 in air: in the line & edge of prairie
 65.00 To Pond; this line all swampy land.
 80.00 A N Oak. 6 in air: stands for the cross for 14, 15, 22 & 23.

East Return Sat 14 & 23 J. 2 N.R. 8 W.
 10.00 To a N Oak. 18 in air: in the line.
 20.00 Left the Swamp.
 30.75 To a Long pond.
 West Return Sat 14 & 23. J. 2 N.R. 8 W.
 19.15 To a Hoop Ash. 12 in air: stands in the line.
 40.00 Set a post from which,
 Hoop. Ash. 20 in air: trees. N 77 E. 16 links each; Fz
 Hoop. 12 " " " N 32 W. 32 " "
 41.50 To Long pond.
 Long Pond Bottom. Limbu Hoop Oak. &

T. A. D. N. R. No 8 W. 2nd (Mm. Ind.)

431

South 40.00	Return Jan. 14 & 15 T. D. N. R. 87V Set a 1/4 cuprest from which Crown 18 in diam. trees N 74 W 20 links and; 8 a
50.00	Do 20 " " " S 74 E 19 " "
60.00	To on Oct. 15 in diam. Stand on the line. At N Oak 6 in diam. Stand for the cor of sec. 14. 15 22 & 23 Cross swampy lands. Last 1/2 mile timber & some swamp brush. This corner on the Edge of the Eagle pond.
West 40.00 77.00	On a Random line between Sec. 11 & 14. T. D. N. R. 87V Set a temp 1/4 cuprest. Dec. 29 1889 Intersect the N 75 line ^{25. 86 S} of the post cor of sec. 10. 11. 14 & 15 Cross good hard land Timber Elm Walnuts &c.
East 38.50 77.00	On the line Return Dec. 11 & 14 T. D. N. R. 87V Set the temp 1/4 cuprest; Cor on an Elm. 18 in diam. To the post cor of sec. 11. 12. 13 & 14
N 27 W. 5.50 40.00	Return Dec. 10 & 11. T. D. N. R. 87V To a gum. 12 in diam. in the line. Set a 1/4 cuprest from which Elm. 14 in diam. trees. S 86 E 59 links and; 8 a
58.65	Do. 15 " " " S 75 W 47 " "
80.00	To a gum. 60 in diam. in the line. Set a post for the cor of sec. 2, 3, 10 & 11. from which N Oak. 15 in diam. trees. S 5 E 30 links and; 8 a Hewy 14 " " " N 16 E 65 " "
	Cross Good hard land; Timber Elm, Oak, gum &c. W. 8. 13 mi.
East 23.00 40.00 78.05	On a Random line between Sec. 2 & 11. T. D. N. R. 87V To a Pindo 900 links and; Set a temp 1/4 cuprest Intersect the N 75 line 65 links South of the post cor of sec.

T. N. 2. N. M. N. 8 W. 2nd Mer. Sec. 2.

N 89 E. *Quadrantum line between Sec 27 & 34 T. 2 N. R. 8 W.*
 40.00 *Set a trap for foxes*
 80.90 *Set out the N & S line — cor of sec. 26, 27, 34 & 35.*
Land 2nd rate Timber Oak.

W 50 *Quadrantum line between Sec 27 & 34 T. 2 N. R. 8 W.*
 40.45 *Set a trap for foxes at the arch with line from*
which, 13 Oak. 24 in. dia. trees. 56 W. 30 links arch, & a
W Oak. 24, " " N 50 W. 60 "
 80.90 *To the foot cor of sec. 27, 28, 33 & 34*

North *Quadrantum line between Sec 27 & 28 T. 2 N. R. 8 W.*
 14.00 *To a Buck. 24 in. dia. stands in the line.*
 39.00 *" " " " " "*
 40.00 *Set a trap for foxes from which,*
Sugar. 15 in. dia. trees. 51 E. 15 links arch, & a
W. 18 " " " " N 39 W. 50 " "
 66.70 *To a Gum. 24 in. dia. by the line*
 80.00 *Set a post for the cor of Sec. 21, 22, 27 & 28 from which,*
Gum. 18 in. dia. trees. 929 W. 27 links arch, & a
Oak. 15 " " " " 37 E. 21
Over good farming land. Timber Sugar. & S.

West *Quadrantum line between Sec 22 & 27 T. 2 N. R. 8 W.*
 1.00 *To a Pine 10 ch. wide,*
 35.50 *Over the Swamp.*
 40.00 *Set a trap post for the cor of 1/4 sec*
 80.50 *Set out the N & S line — cor of sec. 21, 22, 27 & 28.*
Over 2nd rate land; Timber Oak.

East *Quadrantum line between Sec 22 & 27 T. 2 N. R. 8 W.*
 40.25 *Set the trap for foxes from which, (true line)*
Heater 18 in. dia. trees. N 67 E. 24 links arch, & a
W Oak. 28 " " " " South 30 " "

T. N. 2. N. R. N. 8th W. 2nd (Mn. Ind. a)

80.50	To the post crop of 22, 23, 26 & 27
North	Return Jan 21. 1822 T. 2 N. R. 8 th W.
40.00	To an Ash 20 in dia: in the tree. cor of 7 th sec.
42.25	To a Elm. 20 " " " " " " " " " " " "
80.00	Set apart for the crop of 22, 15, 16, 21 & 22 from which Elm. 10 in dia: bears N 52 E 15 looks due; 7 a, Hick 10 " " " " " " " " " " " " Sands low & wet & stony Jan 15.
Cash	Return Jan 15 1822 T. 2 N. R. 8 th W.
6.50	To a Prairie 11.50 ch. 1 mile.
40.00	Set apart for the crop of 22, 15, 16, 21 & 22 from which Hick 18 in dia: bears N 44 E 116. looks due; 7 a, Hick 20 " " " " " " " " " " " " Sands low and wet Jan 15 Oak 15.
68.00	To the Edge of the pond: over low mt. land. Jan 15 Oak 15.
North	Return Jan 15 1816 T. 2 N. R. 8 th W. Dec. 26. 1809
24.39	To an Elm 10 in dia: in the tree.
28.00	" " " " " " " " " " " "
40.00	Set apart for the crop of 22, 15, 16, 21 & 22 from which Walnut 8 in dia: bears N 45 W 10 looks due; 7 a, Hick 24 " " " " " " " " " " " " To a Hick 18 in dia: in the tree.
47.80	" " " " " " " " " " " "
69.15	" " " " " " " " " " " "
80.00	Set apart for the crop of 22, 15, 16, 21 & 22 from which Hick 18 in dia: bears N 42 W 20 looks due; 7 a, Hick 19 " " " " " " " " " " " " Over low & stony land. Jan 15 Oak 15.
Cash	Return Jan 10 1816 T. 2 N. R. 8 th W.
2.50	To a Prairie 10 ch. 1 mile.

T. N. D. N. R. N. 877 2nd Mm. Ind.

23.00 To an Oak. 24 in diam. Stands on the line.
 38.00 To an Oak. Swamp.
 40.00 Set a p. support from which
 Oak. 18 in diam. bears S 37 W. 21 links dist; 72
 No. 18 " " " N. 10 E. 20 " "
 47.50 To a Pond 350 links wide, corner S. E. & N. W.
 80.00 Set a post for the cor of Ls. 10. 11. 14 & 15 from which
 Maple. 8 in diam. bears S 31 W. 11 links dist. 72
 W. Jack. 8 " " " N 33 W. 21 " "
 Make the above corner. in a Maple 18 in diam.
 This work is quality Swamp.

Anth Bottom Ls 9 & 10 T. 2 N. R. 877.
 16.00 To a W Oak. 15 in diam. Stands on the line.
 40.00 Set a p. support from which
 W Oak. 32 in diam. bears S 70 W. 41 links dist; 72
 W. Oak. 28 " " " S 6 W. 71 " "
 67.00 To a Stream 4 links wide, corner S. E.
 80.00 Set a post for the cor of Ls. 3. 4. 9 & 10 from which
 W Oak. 24 in diam. bears N 56 E. 15 links dist. 72
 No. 18 " " " S 82 E. 11 " "
 Over 2nd rate Oak land.

West Run Run line between Ls. 3 & 10 T. 2 N. R. 877.
 25.50 To a Brook. 15 links wide, corner S.
 40.00 Set a temp. p. support
 80.50 Set out the N. S. line 40 links South of the post or off
 Ls. 3. 4. 9 & 10
 Over 2nd rate Oak land; No timber on the last p.
 mile.

East
 40.25 Cap the line between Ls. 3 & 10 T. 2 N. R. 877.
 Set the temp. p. support at the cor. dist. on the true line from
 which, from 14 in diam. bears S 87 W. 43 links dist.

T. No. 2. N. 10. N. 8 W. 2nd Mer. Ind.

80.50	W Oak. 18 in diam. trees. S33 E. 74 miles north; To the foot of the 21, 31, 4, 11.
North	Return Jul 31st T. 2 N. 8 W.
39.43	To a W Oak. 18 in diam. stands in the line.
40.00	Get a 7th sapling from which,
	Heights 7 in diam. trees. N 16 W. 23 miles north; & 2
	W Oak. 30 " " " N 36 E. 18 " "
47.50	To N. Oak. 24 in diam. stands in the line.
74.50	Intersect the N. Boundary 500 miles East of the foot of Sur. 33 & 34 T. 2 N. 8 W. and set a post for the " "
	" 31st from which,
	Heights 10 in diam. trees. S 12 E 49 miles north; & 3
	W. 15 " " " S 25 W 43 " "
	Same or thing Timber Oak.
North	Return Sur. 32 & 33 T. 2 N. 8 W.
1.09	To a Heights 10 in diam. stands in the line.
15.00	To a Brook. 11 miles north, corner W. & N. Brook. 18.
30.15	" " " " " " " "
40.00	Get a 7th sapling from which,
	W Oak. 30 in diam. trees. S 44 E 46 miles north; & 2
	H. 20 " " " S 82 W 23 " "
45.00	To a N. Oak. 36 in diam. in the line.
80.00	Get a post for the cross Sur. 28, 29, 32 & 33 from which,
	Sum. 20 in diam. trees. S 86 W 9 miles north; & 2
	Poplar. 20 " " " N 67 E 53 " "
	Same or thing Timber Oak & Poplar.
East	On Random line between Sur. 29 & 32 T. 2 N. 8 W.
40.00	Get a 7th sapling from which,
80.05	Intersect the N. 1/2 line at the foot of the 28, 29, 32 & 33.
	Same or thing as last post.
West	On the line between Sur. 29 & 32 T. 2 N. 8 W.

T. N. 2. N. R. N. 8 N. 2nd Min. Sudr.

40.02 1/2	Set the trap, 1/2 in support at the an. side on the an. line from which, 13 Oak. 24 in air. here. N43E 29 looks north; andrew 11 Oak. 18, " " S7E 39 " "
80.00	To the post on of lat. 29. 30. 31 & 32.
East	Cañon de San Juan between Lat. 28 & 33. T. 2. N. R. 8 N.
40.00	Set a trap, 1/2 in support.
49.00	To a Brook. 12 looks north. leaves N.E.
82.40	Inter lat. 28. N. R. 3 here 130 looks South of the post on of lat. 27. 28 33 34.
	Quads 2 nd rate. Tumb. Oak. From Brook. looking Tumb. Sugar.
West	Quads San Juan between Lat. 28 & 33. T. 12 N. R. 8 N.
41.20	Set the trap, 1/2 in support from which, 12 in air. here. S34W - the north is
	Lat. 18, " " " N48W. 20, " "
82.40	To the post on of lat. 28, 29, 32, & 33.
North	Between Lat. 28 & 29 T. 2 N. R. 8 N.
4.72	To a Hick. 18 in air in the an.
10.63	To a Gum. 30 " " " " "
40.00	Set a trap support from which as, 11 Oak. 20 in air here. S39E 27 looks north; 130. Oak. 30, " " " N6W 69 " "
43.50	To a Poplar. 18 in air. stands in the an.
64.50	To a Brook. 15 looks north, leaves N.E.
80.00	Set a post for the cor of lat. 20. 21. 28 & 29 from which, 13 Oak. 12 in air here. N. N. 27 looks north; 13, Lat. 12, " " " S68W 60 " "
	Quads 2 nd rate; Tumb. Oak.
West	Cañon de San Juan between Lat. 21. & 28. T. 2 N. R. 8 N.
40.00	Set a trap, 1/2 in support.

I N. 2. N. R. N. 8 W. 2nd Mer. Ind.

43.50 To Pond Creek 60 miles near, Course S.
 81.30 Intersect the N. 2 S line 150 miles North of the fork
 cr of sec. 20, 21, 28 & 29.
 Sandy Soils for farming). Timber Poplar (Oak)

East
 40.15 Depth Iron line between Sec 21 & 28, I. 2 N. 8 W.
 Set the timber post from which,
 Back 15 in dir. line S 67 E. 11 miles north; & 3
 Height 18 " " " N 21 " "
 81.30 To the post cr of sec. 21, 22, 27 & 28.

North
 40.00 Return Sec. 21 & 22 I. 2 N. 8 W.
 42.25 An Ash. 22 in dir. Stands for the 14 sec. cr.
 81.00 To a Elm. 20 " " " in the line.
 Set a post for the cr of sec. 15, 16, 21 & 22 from which,
 Elm 10 in dir. line N 52 E. 15 miles north; & 3
 Height 12 " " " S 28 E. 25 " "
 Very low over lands, Brushy; Timber Elm.
 This line is out of place here by mistake

North
 29.06 Return Sec. 20 & 21 I. 2 N. 8 W.
 To a Poplar. 18 in dir. Stands in the line.
 At about 35.00 At stream 6 miles near, Course S.E.
 40.00 Set a timber post from which,
 W. Oak. 21 in dir. line S 46 E. 10 miles north; & 3
 Do. 24 " " " N 55 E. 24 " "
 40.50 To a Oak. 24 in dir. Stands in the line.
 80.00 Set a post for the cr of sec. 16, 17, 20 & 21 from which,
 W. Oak. 24 in dir. line N 75 W. 24 miles north; & 3
 Do. 30 " " " S 50 W. 30 " "
 Under 2nd rate Timber Oak.

888 N. Can. Mandan line, between Sec. 16 & 21 I. 2 N. 8 W.
 24.50 To Pond Creek or Montrose Ind. 400 miles near.
 Course South.

J. N. D. N. R. N. 8th 2nd Mm. Ind.

439

40.00	Set a trap 7 th in a post
58.00	To Brook 5 miles wide, comes S.
80.50	Intersect the N & S line 15 miles North of the post cor of sec 16. 17. 20 & 21. Good Rolling Oak land.
East	Captn. Inu line between Sec 16 & 21 J. 2 N. R. 8 th .
40.25	Set the trap 7 th in a post; Made cor on a NW Oak. 20 in dia: which it was at the cor. ditch on the true line.
80.50	To the post cor of sec. 15. 16. 21. & 22.
North	Return Sec 16 & 17 J. 2 N. R. 8 th .
3.20	Trap Oak. 10 in dia: stands in the line.
40.00	Set a trap in a post from which Heights 3 in dia: from N 76 E 4 links curb; & a N 3 Oak. 4 " " " N 11 E. 50 " "
48.35	To a 13 Oak. 22 in dia: stands in the line.
59.00	To a Brook 4 miles wide, comes N. W.
50.00	Set a post for the cor of Sec. 8. 9. 16 & 17 from which Log road 10 in. dia: runs. S 20 E. 38 links curb; & a Engen. 24 " " " N 81 E. 66 " " Sands 2 nd rate timber Oak.
N 88 1/2 E	On a Ransom line between Sec. 9 & 16 J. 2 N. R. 8 th .
12.00	To Montrose Ford. 5 Ch. wide,
40.00	Set a trap 7 th in a post
81.00	Intersect the N & S line at the post cor of sec. 9. 10. 15 & 16. Sands on the mile wide timber Oak & Gum & s.
West	Captn. Inu line between Sec. 9 & 16 J. 2 N. R. 8 th .
40.50	Set the trap 7 th in a post at the cor. ditch on the true line. from which Made cor. on a Height 20 in dia:
81.00	To the post cor of sec. 8. 9. 16. & 17.
North	Return Sec. 8 & 9 J. 2 N. R. 8 th .

J. N. D. N. R. No 8 W 2nd. (Mm. Ind.)

5.00 Lactarium 5 links out, Come E.
 27.50 To Montone Pnd.
 Good Land.
 South Return Jul 8 & 9 J. D. N. R. 877.
 14.90 To an ash, 18 in dia. stands in the line.
 18.00 To Montone Pnd 35.00 ch. out in the line.
 Good Land.

West Return Jul 4 & 9 J. D. N. R. 877.
 9.48 To a Hickory 15 in dia. stands in the line.
 36.00 To a Brook, 10 links out, Come E.
 40.00 Set a 7th support from which
 Cottonwood 6 in dia. beam N 83 E 10 links out; 10 in
 Elm. 24 " " " N 60 W 14 " "
 80.00 Set a post for the cross of Jul 4, 5, 8 & 9 from which
 Log made. 12 in dia. beam N 70 W 11 links out; 10
 Gum. 8 " " " S 65 E 18 " "
 Land 2nd rate under rolling; Timber Oak.

North Return Jul 4 & 5 J. D. N. R. 877
 12.25 To a W Oak. 18 in. dia. stands in the line.
 15.90 Set a post my location line for the cross of Jul 4-5 from
 which Hickory 7 in. dia. beam N 76 W 23 links out;
 under 13 Oak. 30 " " " N 36 E 18 " "
 which a W Oak. 18 in. dia. beam S 64 E 11 links out; &
 a 13 Oak 30 " " " N 38 E 41 " "
 Land rolling Timber Oak.

North Return Jul 31 & 32 J. D. N. R. 877. August 29 1807
 6.79 To a Hickory 20 in dia. stands in the line.
 40.10 Set a 7th support from which
 Gum. 30 in dia. beam S 34 W 26 links out; 10
 Hickory 15 " " " N 21 E 6 " "
 80.00. Set a post for the cross of Jul 29, 30, 31 & 32 from which
 Hickory 18 in dia. beam S 42 W 33 links out; 10

T. N. 2. N.R. N. 877. 2nd (Mm. Ind.:

Land good for farming; Timber Oak & Buckle.

East Cap Maum line between Sec. 29 & 30 T. 2. N.R. 877
40.00 Set a temp. 7th support
80.85 Intersub the N.B. line 95 links South of the post cor
of sec. 28. 29 32 & 33
Land 2nd rate; Timber Oak & Poplar.

West Cap Maum line between Sec. 29 & 30 T. 2. N.R. 877.
40.00 Set the temp. 7th support at the ar. dist. in the line
from which N.B. Oak. 24 in air: bus. N 43 E. 29 the line
and a W Oak. 18 " " " S 7 E 39 " "
80.85 In the post cor of Sec. 29, 30 & 31 T. 32

West Return Sec. 30 T. 31 T. 2. N.R. 877
9.75 To a B Oak. 20 in air: in the line.
40.00 Set a 7th support from which
Lrg. woods 8 in air: bus. S 48 E 18 links north: & a
W Oak. 18 " " " N 52 W. 46 " "
41.76 To a B Oak. 18 in air: in the line.
80.77 Intersub the West Boundary 30 links South of the post cor.
of sec. 25 T. 36. T. 2. N.R. 877 and set a post for the cor of
" 30 T. 31. from which
W Oak. 24 in air: bus. S 87 E 34 links north: & a
Poplar. 20 " " " N 72 E 34 " "
Land 2nd rate; Timber Oak & S.

North Return Sec. 29 T. 30 T. 2. N.R. 877.
3.50 To a Hickory 12 in air: stands in the line.
18.50 " " W Oak. 20 " " " " " "
40.00 Set a 7th support from which
Lrg. 12 in air: bus. S 62 W. 46 links north: & a
W Oak. 18 " " " East 63 " "
41.44 To a Lrg. 8 in air: stands in the line.
80.00 Set a post for the cor of sec. 19, 20, 29 & 30 from which

T. N. D. N. R. No. 877. 2nd Mm Ind.

W Oak. 30 in. diam. trunk. N 85 W. 15 links each; Va,
 Hog good 4 " " S 71 E. 10 " "
 Lands 2nd rate.

Each	On a Random line between Sur. 20 & 29 T. 2 N. R. 8 W.
40.00	Set a trap 7 1/2 ft. apart
63.50	To a Stream 12 links wide, corner S. W.
80.37	Intersect the Meridian 69 links South of the post on of Sur. 20. 21. 28 & 29 Lands rolling made 2 nd rate; Timber Oak & S.
West	On the Line line between Sur. 20 & 29. T. 2 N. R. 8 W.
40.18	Set the trap 7 1/2 ft. apart from which History 18 in. diam. trunk. N 58 W. 40 links each; Va, B Oak. 24 " " N 38 E. 60 " "
80.36	To the post on of Sur. 29. 20. 29. & 30.
West	Between Sur. 19 & 30 T. 2 N. R. 8 W.
6.21	To a Hook 12 in. diam. stands in the line
40.00	Set a 7 1/2 ft. apart from which B Oak. 30 in. diam. trunk. S 52 W. 45 links each; Va, Do. 36 " " " N 74 E. 38 " "
67.90	To a W Oak. 18 in. diam. stands in the line.
73.00	To Willard's Creek. 20 links wide, corner S.
81.75	Intersect the West Boundary and set a post for the correspond. 19. & 30 from which Oak. 12 in. diam. trunk S 10 E. 22 links each; Va, W Oak. 24 " " " N 28 E. 55 " " Lands 2 nd rate; Timber Oak, - Full North of the Post correspond. 24 & 25 T. 2 N. R. 9 W. about 50 the dish
North	Between Sur. 19 & 20. T. 2 N. R. 8 W.
4.10	To a W Oak. 24 in. diam. stands in the line.
40.00	Set a 7 1/2 ft. apart from which W Oak. 18 in. diam. trunk. S 69 E. 60 links each; Va

T. N. 2 N.R. N. 87W 2nd Mer. Ind.

44.40 W Oak 24 in deer beams. N 31 W. 104. links each;
 80.00 To p Poplar 18 in deer. Stands in the line.
 Set a post for the cross w. 17 18. 19 & 20 from which
 Hickory 18 in. deer beams. N 18 E. 32 links each; & a
 Log. 12 " " " S 69 W. 24 " "
 Lunde 2nd rate; Timber Oak, Nov. 23. 1808,

West Oak & Audin line between Ew. 17 & 20 T. 2 N.R. 87W.
 40.00 Set a timber for support
 79.40 Interest the N 83 line 90 links North of the post on of Ew.
 17 18. 19 & 20
 Corr 2nd rate Oak Land.

East Oak & Iron line between Ew. 17 & 20 T. 2 N.R. 87W.
 39.70 Set the timber for support from which (at an angle)
 W Oak. 6 in deer beams. N 75 W. 29 links each; & a
 Hickory 18 " " " N 54 E. 68 " "
 79.40 To the post on of Ew. 17 18. 19 & 20.

West Return Ew. 18 & 19 T. 2 N.R. 87W.
 19.50 To of Hickory 20 in deer in the line
 40.00 Set a post support from which
 Hickory 18 in deer beams. S 54 E. 4 links each; & a
 W Oak 6 " " " N 64 E. 6 " "
 41.34 To a B. Oak. 30 in deer. Stands in the line.
 60.00 To a Marsh. 10.00 chs mian
 67.00 To a B. Oak 6 links mian, comes S.
 67.30 To an Elm. 30 in deer. Stands in the line.
 82.13 Set a post for the cross w. 18 & 19 (8 links North of
 the post on of Ew. 13 & 24 T. 2 N.R. N. 9 W) from which
 Hickory 18 in. deer beams. S 57 E. 40 links each; & a
 W Oak. 30 " " " N 28 W. 12 " "
 Lunde 2nd rate; Timber Oak,

North Return Ew. 17 & 18 T. 2 N.R. 87W

T. No 2 N.R. 8 W. 2nd Mer. Sec. 7

19.00 To a Height 18 in. diam. Stands in the line.
 40.00 Set a 1/4 support from which
 R Oak. 30 in. diam. base. N 13 E 20 links dist; to
 W Oak. 19 " " " S 14 E 25 " "
 45.87 To a Height 18 in. diam. Stands in the line.
 60.00 To a March 500 links wide,
 65.00 To a R. Oak. 24 Stands in the line.
 80.00 At Dogwoods 6 in. diam. Stands for the cor. of sec.
 7, 8, 17, & 18.
 Run 2nd rate Oak land.

89 W Run a Random line between Sec. 8 & 17 T. 2 N.R. 8 W.
 8.80 To a Brook. 4 links wide, crosses St.
 40.00 Set a temporary 1/4 support
 65.00 To a March 350 links wide,
 69.00 To a Brook. 4 links wide, crosses St.
 80.00 Intersect the N & S line 20 links North of the post cor.
 of Sec. 17 & 18. 7 & 8,
 Run 2nd rate Rolling Oak land.

East
 40.00 On the line between Sec. 8 & 17 T. 2 N.R. 8 W.
 Set a temporary 1/4 support at an angle on the line from
 which Poplar. 15 in. diam. base at 85 W. 10 links dist;
 and W Oak. 20 " " " S 6 E 41 " "
 80.00 To the post cor. of sec. 8, 9, 16 & 17.

West
 12.00 Between Sec. 7 & 18 T. 2 N.R. 8 W.
 To a March. 500 links wide,
 24.71 To a Gum. 12 in. diam. in the line.
 40.00 Set a 1/4 support from which
 Gum. 12 in. diam. base. N 63 E 15 links dist; to
 Height 20 " " " S 37 W 20 " "
 53.40 At R. Oak 20 in. diam. Stands for the cor. of sec. 7 & 18
 Confirmation line
 Run 2nd rate land. Timber Oak.

T. No 2 N.R. No 877 2nd Mer. Ind.

North Return Sec 7 & 8. T. 2. N.R. 877.
 13.00 From the cor. over marsh & stream 12 miles more to make
 15.55 To a 11 Oak. 12 in diam. 11 miles on the line
 17.38 " " 10. 24 " " " " " "
 40.00 Set a post from which
 11 Oak. 18 in. diam. trees. N 2 E. 78 miles out; & a
 10. 20 " " " " N 79 W. 49 " "
 43.20 Set a post on Donation line for the cor of sec. 7 & 8. from which
 a 10 Oak 14 in diam. trees. S 43 W. 58 miles out; & a
 13 Oak 30 " " " " N 39 E. 20 " "
 Sec 20 2nd rate Timber Oak.

West Return Sec 5 & 8 T. 2. N.R. 877
 4.65 To a Poplar. 24 in diam. 11 miles on the line.
 20.00 Set a post on Donation line for the cor of sec 5 & 8.
 from which, 18 in diam. trees S 31 E. 41 miles out;
 also a Sugar 10 " " " " N 31 W. 9 " "
 Good land Timber Birch Sugar.

 Meanders of White River. On the Right Bank
 Commencing on the South Boundary of Sec 36. Thence

N 11 W. 12.00 To a Pine Creek. 90 white miles,
 N 10 E. 7.00
 N 34 W. 8.00
 N 2 E. 8.00 In Sec. 36.
 N 46 E. 13.00
 N 56 E. 8.00
 N 35 E. 6.00 To Range line. E. side of Sec 36

N 35 E. 1.00
 N 10 E. 6.00 In Sec. 31. T. 2. N.R. 777
 N 26 W. 5.00 To Range line E. side of Sec 36.

N 55 W. 14.00 From Range line on Sec. 36.

446

T^o 2nd Mth 1887th 2nd Mth Sund.

N 33 W 3.00 To post on line between Sec. 25 & 36.

N 31 W 9.00

N 21 W 4.00

N 6 W 9.00

In Sec. 25.

N 16 E 11.00

N 49 E 14.00

N 61 E 7.90

To Range line on the E. side of sec. 25

N 62 E 3.00

N 42 E 8.00

N 5 E 14.00

N 16 W 11.00

In Sec. 30. T^o 2nd Mth 7th

N 42 W 4.00

N 72 W 1.25

To Range line on the E. side of sec. 25.

S 78 W 18.00

In Sec. 25. From Range line.

N 70 W 9.00

To the Post on line between Sec. 24 & 25.

N 49 W 13.00

N 16 W 12.00

N 16 W 14.00

N 22 E 15.00

N 34 E 32.00

N 39 W 20.00

At 4000 ft. on the line. cor of Sec. 13 & 24.

N 7 W 4.00

N 25 E 7.00

In Sec. 13.

N 54 E 7.00

To East Boundary of Sec. 13. (Probably)

Commencing on the line between Sec. 12 & 13. Other dimensions

S 13 E 7.00

S 40 E 9.00

S 65 E 11.00

S 75 E 6.00

S 45 E 14.00

T^o 2 N. R. N. 5th Div. (Mn. Ind.)

866 E.	18.00	
850 E.	4.00	
857 th	9.00	
873 th	12.00	
869 th	4.00	
885 th	6.50	To the mountains coming up the River.

		From the cor. of Sec. 12 & 13 thence up stream
North	5.00	
N35 E.	10.00	
N67 E.	8.00	
East	7.00	
S60 E.	30.00	
S86 E.	9.00	
N66 E.	4.00	
N45 E.	5.00	
N21 E.	5.00	
North	4.00	
N58 th	12.00	To Range line E. line of sec. 12. South on Range line 1750 to River.

N39 th	10.00	
N24 th	5.00	
N10 th	12.00	
N55 th	9.00	
N82 th	7.00	
S89 th	9.00	
S80 th	9.00	
N62 th	8.00	
N18 th	10.00	
N20 E.	15.00	At 13.00 stream 500 yards end.
N. 31 E.	3.00	To the first or line between Sec. 1 & 12.

N57 E.	10.00
N30 th	15.00

T. N. 2. N. R. N. 8 W. Twp. Min. Ind.

North 8.00.
 N 21 E. 9.00
 N 49 E. 14.00
 N 72 E. 5.00
 N 86 E. 14.00
 S 83 E. 18.00
 N 70 E. 15.00
 N 43 E. 3.00
 N 36 W. 4.00
 N 85 W. 5.00
 S 87 W. 14.00
 N 69 W. 7.00
 N 43 W. 10.00
 N 55 W. 7.00
 N 5 W. 7.00

To ^{1st} ~~from~~ line. on NW Boundary.

Next with Comm line cor to cor. 35 & 36.
 at. 41.00. At distance 50 links only, comes E.

I certify that the foregoing Transcript of the field notes
 of Township N. 2 North of Range N. 8 West 2nd Mer. Ind.
 has been compared with the Original Notes in this Office
 and found to be correct.

Surveyor General's Office,
 Cincinnati, June 23rd 1844.

E. S. Daines
 Sur. Genl.

Sept. 2nd. 1878. 4

Mammals of ~~S. S.~~ ^{the} Boundary White River in.
TERRITORY Commencing at Post on the Land Boundary
of Sec. 36. thence up stream.

147. 18.00

Auth 8.00

N 12 E. 18.30 To Post on Range line.

From Post in Range bin 3.57 hrs. End of the car of the car
24. & 25. I 2.11.87

At 10³ W 11.00

147 E. 11.00

Mt. 6.50

19 E. 11.00 1 Post in Range 6 mi.

From the spot in the Range to the East side of Co. 24. thence
up stream in Sw. 24.

Nb9 W. 1550

№ 41 п. 13.60

1871. 14.511

N10E 26.00

1357E 36.57

1797. 4.00 John Peterson Sr. 13724

N 24 W. 271

N41 W. 14.00

N447. 518

N40E 5, 00

N78 E. 18.00 In Post in East Boundary

From a post in the East Boundary N. End of the
Pond thence up stream in Sec. 13. again
357

N45W 3.50

11.57 11.50

N56 W 20.40

No 7 8.70

S74 E 18.00

T. N. 2. N. R. N. 8. 7. 2nd Mer. Ind.

N 75 E. 41.00 To a Buck cor of sec. 13 & 18 in Range's line.

From a Maple on Range cor of sec. 7 & 12, thence
up stream in sec. 12. T. 2 N. R. 8 W.

N 5 W 11.00

N 19 W 5.00

N 32 W 6.20

N 54 W 9.65

West 17.00

N 83 W 7.72

N 34 W 2.50

N 56 E. 12.00

N 25 E. 0.50 To line between Sec. 1 & 12

N 10 E. 6.50

N 39 W 23.00

N 36 E. 17.70

N 86 E. 26.54 To post in Range's line 70 links North of
the Sec. post

From post in Range line East Boundary of sec.
1. in the North side of same.

N 54 W 5.95

N 14 W 10.21 To post in N. Boundary of T. 2 N. R. 8 W

Surveyed by
Wm. Sullivan

I certify that the foregoing transcript of the field
notes of Township N. 2. North of Range N. 8. West
of the 2nd Principal Meridian in Indiana, has been
compared with the Original notes of this Office, &
found to be correct.

Surveyor General's Office,
Cincinnati, June 29 1845

E. S. Hain
Sur. Genl.